

## **MOSAIC MCT2**

Order Code: 1100057

Remote Connection Expansion Unit, 2-line Bus Transfer, Screw Terminal Blocks



Safety level  
PL e

## **Technical Description**

Ideal for the interconnection of safety functions of multiple machineries on a single Master Unit

## Features

Safety level	PL e
Safety level (SIL / PL)	SIL 3 - SILCL 3 - PL e - Cat. 4
Operating temperature (°C)	- 10 ... 55
Max. length of the connection cables (m)	<50m (each section)
Signalling	LEDs indication for operating status and fault diagnosis
Connections	MSC 5-pole rear connector - Removable terminal blocks, screw contacts
Storage temperature (°C)	-20 ... +85
MSC connector provided	Yes
Connection with MSC BUS	Yes
Relative humidity	10% ... 95%
Modules connections	Max. 6
Connection channels	2
Packaging dimensions HxLxW (mm)	36 x 127 x 113
Product class	C
Custom tariff	85371091

## Electrical data


Power supply (VDC)	24 ± 20%
--------------------	----------

## Mechanical data

### MOSAIC MCT2

Dimensions HxWxD (mm)	108 x 22,5 x 114,5
Degree of protection	IP20 for housing - IP2X for terminal block
Fastening	35 mm DIN rail fastening according to EN 50022-35 standard
Gross weight (g)	165,4

Technical drawings



**Certificates**

